

96-01

STATEMENT OF POLICY

Motor Vehicle Safety Belts

Policy

The National Association of County and City Health Officials (NACCHO) supports the adoption and enforcement of legislation and comprehensive prevention strategies to improve motor vehicle occupant safety through the use of safety belts. NACCHO supports implementation of the following state and local strategies:

- State legislation, regulation, or policy that requires mandatory use of safety belts by all motor vehicle occupants;
- State legislation, regulation, or policy that requires primary safety belt laws for all ages, which allow law enforcement officers to stop vehicles and issue citations when an officer observes an unbelted driver or passenger;
- State legislation, regulation, or policy that increases penalties and/or fines for safety belt violations; and²
- State and local targeted safety belt use education and enhanced enforcement, especially for high-risk populations.

NACCHO urges local public health officials to work with local and state stakeholders, including law enforcement, fire and emergency medical services, health care providers, hospital systems, educational agencies, businesses, insurance agencies, and elected officials to increase awareness of the importance of safety belt use in reducing motor vehicle-related injuries and deaths.

Justification

Motor vehicle-related injuries are the leading cause of death for ages five to 35 in the United States.¹ In 2015, over 2.4 million drivers and passengers were treated in emergency departments for motor vehicle crash-related injuries, and over 35,000 people died as a result of motor vehicle crashes.² According to the Centers for Disease Control and Prevention, the cost of medical care and associated productivity losses attributed to injuries from motor vehicle crashes in a one year period exceeded \$80 billion.¹

Safety belts are the single most effective safety device in preventing serious injury and death in motor vehicle crashes. Safety belts reduce crash-related injuries and death by about 50 percent, saving 12,802 lives in 2014.^{1,3} In fact, most drivers and passengers killed in motor vehicle crashes were not wearing safety belts.^{4,5} There is strong evidence that safety belt laws are effective in increasing safety belt use and reducing fatal and nonfatal injuries among adolescents and adults.^{4,5,6}

Primary enforcement safety belt laws permit law enforcement officers to pull over drivers and issue tickets just because the drivers or their passengers are not restrained. Safety belt use is



higher in states with primary enforcement safety belt laws (91 percent) compared to states with secondary enforcement laws or no safety belt laws (78.6 percent).⁷ Currently, 49 states and DC have adopted both primary and second laws (under which occupants must be stopped for another violation before being cited for non-use) related to seat belt use, and New Hampshire is the only state lacking any seat belt laws.^{5,7}

Enhanced enforcement strategies involve an increase in the average number of citations each officer issues or an increase in the number of officers on patrol. These strategies are typically supported by education and publicity campaigns. Research has shown that enhanced enforcement strategies increase seat belt use.⁸ Likewise, increasing fines for safety belt use violations can result in increases in safety belt use.⁹

References

1. Centers for Disease Control and Prevention. Injury Prevention & Control: Motor Vehicle Safety. Retrieved <http://www.cdc.gov/motorvehiclesafety/seatbelts/facts.html>
2. Dept of Transportation (US), National Highway Traffic Safety Administration (NHTSA). Traffic Safety Facts: 2015 Motor Vehicle Crashes: Overview. Washington (DC): NHTSA; 2016. Retrieved November 22, 2016 from <https://crashstats.nhtsa.dot.gov/Api/Public/ViewPublication/812318>.
3. Kahane CJ. Fatality reduction by safety belts for front-seat occupants of cars and light trucks: updated and expanded estimates based on 1986-99 FARS data. Washington, DC: US Department of Transportation, National Highway Traffic Safety Administration; 2000. Publication no. DOT-HS-809-199. Retrieved November 22, 2016 from <http://www-nrd.nhtsa.dot.gov/Pubs/809199.PDF>.
4. Trust for America's Health. (2012). *The Facts Hurt: A State-by-State Injury Prevention Policy Report*. Retrieved November 22, 2016 from: <http://www.healthymamericans.org/assets/files/TFAH2012FactsHurt20.pdf>
5. National Safety Council. (2016). Everyone Has a Role in Making Our Roads Safer. Retrieved November 22, 2016 from <http://www.nsc.org/learn/safety-knowledge/Pages/safety-at-home-motor-vehicle-crash.aspx>.
6. The Community Guide. *Using Evidence for Public Health Decision Making: Motor Vehicle Related Injury Prevention*. Available at: http://www.thecommunityguide.org/about/MotorVehicle_FINAL.pdf
7. Pickrell, T. M., & Li, R. (2016, February). Seat Belt Use in 2015—Overall Results (Traffic Safety Facts Research Note. Report No. DOT HS 812 243). Washington, DC: National Highway Traffic Safety Administration. Retrieved November 22, 2016 from <https://crashstats.nhtsa.dot.gov/Api/Public/ViewPublication/812243>
8. Guide to Community Preventive Services. Use of Safety Belts: Enhanced Enforcement Programs. [cited 2010 Nov 24]. Available at: <http://www.thecommunityguide.org/mvoi/safetybelts/enforcementprograms.html>
9. Dept of Transportation (US), National Highway Traffic Safety Administration (NHTSA). Traffic Tech: Primary laws and fine levels are associated with increases in seat belt use. Washington (DC): NHTSA; 2010. Available at: http://www.nhtsa.gov/staticfiles/traffic_tech/TT400.pdf

Record of Action

Proposed by NACCHO Injury and Violence Prevention Workgroup

Adopted by NACCHO Board of Directors February 2, 1996

Updated March 2013

Updated January 2017